



ST. XAVIER'S COLLEGE (AUTONOMOUS)  
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani  
Kolkata-700 016.

**BA/BSC**

**PROVISIONAL RESULT SHEET OF SEMESTER-III EXAMINATION**

**HELD IN THE MONTH OF NOV - DEC 2023**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
ENGA	2	336 / 500	6.78	ENGA	58	*HENCR3071T		PLSA	137	*HPSCR3071T	
ENGA	3	335 / 500	6.82	ENGA	59	351 / 500	7.12	PLSA	138	275 / 500	5.48
ENGA	4	351 / 500	7.19	ENGA	61	277 / 500	5.68	PLSA	141	264 / 500	5.12
ENGA	5	264 / 500	5.29	ENGA	62	317 / 500	6.38	PLSA	142	328 / 500	6.60
ENGA	7	357 / 500	7.35	ENGA	63	*HENCR3071T*HENSE30 11T		PLSA	143	ABS/DB	
ENGA	8	346 / 500	7.17	ENGA	64	*HECGE3131T*HENCR3071T *HENSE3011T		PLSA	144	244 / 500	4.91
ENGA	9	*HENSE3011T		ENGA	65	*HENCR3071T*HENSE30 11T		PLSA	146	308 / 500	6.14
ENGA	10	318 / 500	6.57	ENGA	66	*HENCR3071T*HENSE3011T *HPSGE3031T		PLSA	147	379 / 500	7.48
ENGA	11	277 / 500	5.76	ENGA	67	288 / 500	6.03	PLSA	148	260 / 500	5.18
ENGA	12	344 / 500	7.08	ENGA	68	328 / 500	6.60	PLSA	150	335 / 500	6.64
ENGA	13	343 / 500	6.92	ENGA	71	277 / 500	5.64	PLSA	151	ABS/DB	
ENGA	14	*HENSE3011T		ENGA	73	344 / 500	7.06	PLSA	153	299 / 500	5.82
ENGA	15	340 / 500	6.86	ENGA	74	*HENSE3011T		PLSA	155	313 / 500	6.25
ENGA	16	358 / 500	7.32	ENGA	75	288 / 500	6.03	PLSA	156	320 / 500	6.48
ENGA	17	283 / 500	5.85	ENGA	76	292 / 500	6.05	PLSA	161	338 / 500	6.71
ENGA	19	313 / 500	6.08	ENGA	77	*HECGE3131T*HENCR3071T *HENSE3011T		PLSA	162	315 / 500	6.27
ENGA	21	*HENCR3051T*HENCR3061T *HENCR3071T*HENSE3011T		ENGA	78	282 / 500	5.82	PLSA	163	312 / 500	6.23
ENGA	22	*HENSE3011T		ENGA	79	*HENCR3071T*HENSE30 11T		PLSA	164	342 / 500	6.88
ENGA	24	334 / 500	6.72	ENGA	80	*HENCR3071T*HENSE3011T *HPSGE3031T		PLSA	165	320 / 500	6.26
ENGA	26	331 / 500	6.79	ENGA	81	291 / 500	5.73	PLSA	166	ABS/DB	
ENGA	28	*HENCR3071T		ENGA	82	*HENCR3071T		PLSA	167	244 / 500	4.74
ENGA	29	*HENCR3071T		ENGA	83	*HENCR3071T*HENSE30 11T		PLSA	168	294 / 500	5.82
ENGA	30	282 / 500	5.66	ENGA	84	*HENCR3071T		PLSA	169	ABS/DB	
ENGA	31	308 / 500	6.40	ENGA	85	ABS/DB		PLSA	170	297 / 500	5.87
ENGA	32	274 / 500	5.69	ENGA	86	*HENCR3061T*HENCR3071T *HENSE3011T		PLSA	171	331 / 500	6.50
ENGA	36	ABS/DB		ENGA	87	*HENSE3011T		PLSA	173	358 / 500	7.12
ENGA	37	211 / 500	4.25	PLSA	101	362 / 500	7.18	PLSA	174	259 / 500	5.10
ENGA	39	*HENSE3011T		PLSA	102	330 / 500	6.52	PLSA	175	*HPSCR3051T	
ENGA	40	317 / 500	6.59	PLSA	103	340 / 500	6.71	PLSA	176	357 / 500	7.07
ENGA	41	*HENCR3071T*HENSE30 11T		PLSA	104	249 / 500	5.13	SOCA	201	362 / 500	7.28
ENGA	42	*HENCR3071T		PLSA	106	353 / 500	6.90	SOCA	202	325 / 500	6.62
ENGA	43	220 / 500	4.35	PLSA	111	ABS/DB		SOCA	203	372 / 500	7.46
ENGA	44	*HENCR3061T*HENCR3071T *HENSE3011T		PLSA	113	309 / 500	6.12	SOCA	204	ABS/DB	
ENGA	45	247 / 500	5.08	PLSA	115	267 / 500	5.18	SOCA	206	*HSOCR3071T	
ENGA	46	*HENCR3071T		PLSA	116	*HECGE3131T*HPSCR3051T *HPSCR3061T*HPSCR3071T		SOCA	207	352 / 500	7.31
ENGA	48	343 / 500	6.90	PLSA	117	354 / 500	7.02	SOCA	208	<b>RA[*HSOCR3061T]</b>	
ENGA	49	*HENCR3071T*HENSE30 11T		PLSA	118	331 / 500	6.58	SOCA	209	*HPSGE3031T*HSOCR3071T *HSO3011T	
ENGA	51	279 / 500	5.67	PLSA	119	259 / 500	5.15	SOCA	210	292 / 500	5.68
ENGA	52	*HENCR3071T		PLSA	123	376 / 500	7.49	SOCA	211	*HSOCR3071T	
ENGA	53	*HENCR3071T*HENSE30 11T		PLSA	127	289 / 500	5.78	SOCA	212	*HPSGE3031T	
ENGA	54	*HENCR3071T*HENSE30 11T		PLSA	129	277 / 500	5.30	SOCA	214	ABS/DB	
ENGA	55	*HENCR3071T*HENSE30 11T		PLSA	133	ABS/DB		SOCA	215	322 / 500	6.42
ENGA	56	*HENCR3071T*HENSE30 11T		PLSA	134	319 / 500	6.35	SOCA	219	347 / 500	7.12
ENGA	57	319 / 500	6.53	PLSA	135	299 / 500	6.12	SOCA	220	*HJOGE3012P*HJOGE301 2T	
								SOCA	221	*HSOCR3061T*HSOCR307 1T	

*Shanika 28.2.24*

Controller of Examinations  
St. Xavier's College (Autonomous)  
St. Xavier's College (Autonomous)  
(Under Calcutta University)

*J. Inoy*

Principal  
St. Xavier's College (Autonomous)  
**Principal**  
**St. Xavier's College**  
**(Autonomous)**  
**Kolkata**

**Note: There might be a few inadvertent errors.**

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (\*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)  
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani  
Kolkata-700 016.

## BA/BSC

### PROVISIONAL RESULT SHEET OF SEMESTER-III EXAMINATION

HELD IN THE MONTH OF NOV - DEC 2023

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
SOCA	222	*HSOCR3061T*HSOCR3071T		SOCA	280	*HPSGE3031T*HSOCR3061T*HSOCR3071T*HSEOSE3011T		BAGG	346	217 / 400	5.31
SOCA	224	397 / 500	8.05	SOCA	281	312 / 500	6.15	BAGG	349	296 / 400	7.54
SOCA	225	255 / 500	4.99	SOCA	282	285 / 500	5.64	BAGG	351	193 / 400	4.67
SOCA	226	400 / 500	8.02	SOCA	283	*HSOCR3051T*HSOCR3061T*HSOCR3071T*HSEOSE3011T		BAGG	353	*GSOCR3091T	
SOCA	227	*HPSGE3031T*HSOCR3051T*HSOCR3071T*HSEOSE3011T		BNGA	501	375 / 500	7.42	BAGG	354	263 / 400	7.15
SOCA	231	*HSOCR3061T*HSOCR3071T*HSEOSE3011T		BNGA	503	302 / 500	5.89	BAGG	355	*GPSCR3081T*GSOCR3091T	
SOCA	232	ABS/DB		BNGA	505	ABS/DB		BAGG	356	242 / 400	5.76
SOCA	234	297 / 500	5.99	BNGA	506	ABS/DB		BAGG	357	244 / 400	5.66
SOCA	237	234 / 500	4.51	BNGA	507	336 / 500	6.63	BAGG	358	227 / 400	5.17
SOCA	239	355 / 500	7.12	BNGA	509	246 / 500	4.69	BAGG	359	*GENCR3081T*GSOCR3091T	
SOCA	240	330 / 500	6.65	BNGA	510	250 / 500	5.00	BAGG	361	204 / 400	4.62
SOCA	241	258 / 500	5.15	BAGG	302	ABS/DB		BAGG	364	*GPSCR3081T*GSOCR3091T	
SOCA	242	368 / 500	7.45	BAGG	306	212 / 400	5.24	BAGG	365	228 / 400	5.68
SOCA	245	*HPSGE3031T*HSOCR3051T*HSOCR3061T*HSOCR3071T*HSEOSE3011T		BAGG	308	270 / 400	6.80	BAGG	366	ABS/DB	
SOCA	246	*HSOCR3071T		BAGG	309	264 / 400	6.48	MTMA	1	236 / 500	4.83
SOCA	247	381 / 500	7.62	BAGG	310	322 / 400	7.88	MTMA	2	*HMTCR3051T*HMTCR3061T*HMTCR3071T*HMTSE3012P*HMTSE3012T*HSTGE3032P*HSTGE3032T	
SOCA	248	252 / 500	5.06	BAGG	311	246 / 400	6.00	MTMA	3	ABS/DB	
SOCA	249	245 / 500	4.99	BAGG	313	*GENCR3081T*GSOCR3091T		MTMA	4	293 / 500	5.65
SOCA	251	*HECGE3131T*HSOCR3061T		BAGG	314	ABS/DB		MTMA	5	*HMTCR3071T	
SOCA	252	339 / 500	6.78	BAGG	315	265 / 400	6.59	MTMA	7	ABS/DB	
SOCA	255	357 / 500	7.39	BAGG	317	204 / 400	4.82	MTMA	8	313 / 500	5.99
SOCA	256	ABS/DB		BAGG	319	*GCOSE3011P*GSOCR3091T		MTMA	12	265 / 500	5.01
SOCA	259	*HJOGE3012P*HJOGE3012T*HSOCR3071T*HSEOSE3011T		BAGG	320	*GENCR3071T*GENCR3081T*GSOCR3091T		MTMA	13	416 / 500	8.34
SOCA	260	*HJOGE3012T*HSEOSE3011T		BAGG	321	*GCOSE3011P		MTMA	14	316 / 500	5.91
SOCA	261	ABS/DB		BAGG	322	188 / 400	4.52	MTMA	15	305 / 500	5.65
SOCA	262	*HSOCR3071T*HSEOSE3011T		BAGG	323	*GCOSE3011P*GENCR3071T*GENCR3081T*GSOCR3091T		MTMA	17	296 / 500	5.65
SOCA	263	*HSOCR3061T		BAGG	324	*GPSCR3081T*GSOCR3091T		MTMA	18	295 / 500	5.65
SOCA	264	252 / 500	4.97	BAGG	325	*GCOSE3011P*GENCR3081T*GSOCR3091T		MTMA	19	ABS/DB	
SOCA	265	381 / 500	7.73	BAGG	326	189 / 400	4.77	MTMA	21	324 / 500	6.40
SOCA	266	280 / 500	5.74	BAGG	327	*GPSCR3081T		MTMA	22	359 / 500	7.01
SOCA	267	352 / 500	6.98	BAGG	329	219 / 400	5.47	MTMA	23	394 / 500	7.63
SOCA	268	ABS/DB		BAGG	330	228 / 400	5.72	MTMA	24	*HMTSE3012T	
SOCA	269	274 / 500	5.68	BAGG	331	*GENCR3071T*GENCR3081T*GSOCR3091T		MTMA	27	*HMTSE3012T	
SOCA	270	*HPSGE3031T		BAGG	332	290 / 400	7.72	MTMA	28	371 / 500	7.24
SOCA	271	291 / 500	5.96	BAGG	333	277 / 400	6.47	MTMA	29	341 / 500	7.07
SOCA	272	318 / 500	6.43	BAGG	334	ABS/DB		MTMA	30	224 / 500	4.38
SOCA	273	ABS/DB		BAGG	336	244 / 400	6.28	MTMA	32	*HMTCR3071T	
SOCA	274	326 / 500	6.86	BAGG	338	219 / 400	5.31	MTMA	34	*HMTSE3012T*HSTGE3032T	
SOCA	275	313 / 500	6.30	BAGG	339	198 / 400	4.64	MTMA	35	322 / 500	6.51
SOCA	276	*HSEOSE3011T		BAGG	340	180 / 400	4.20	MTMA	40	275 / 500	5.45
SOCA	277	310 / 500	6.17	BAGG	341	*GPSCR3081T*GSOCR3091T		MTMA	41	ABS/DB	
SOCA	278	*HPSGE3031T*HSOCR3051T*HSOCR3061T*HSOCR3071T*HSEOSE3011T		BAGG	342	239 / 400	5.51	MTMA	43	369 / 500	7.32
SOCA	279	267 / 500	5.21	BAGG	344	265 / 400	6.21	MTMA	44	*HMTCR3071T*HSTGE3032T	
				BAGG	345	*GENCR3071T*GENCR3081T*GSOCR3091T					

*Shmitra 28.2.24*

Controller of Examinations  
St. Xavier's College (Autonomous)  
St. Xavier's College (Autonomous)  
(Under Calcutta University)

*J. Junior*

Principal  
St. Xavier's College (Autonomous)  
**Principal**  
**St. Xavier's College**  
**(Autonomous)**  
Kolkata

**Note: There might be a few inadvertent errors**

Visit Students Section of the College Website to download the Provisional Marksheet.

**Remarks:** RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (\*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)  
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani  
Kolkata-700 016.

## BA/BSC

### PROVISIONAL RESULT SHEET OF SEMESTER-III EXAMINATION

HELD IN THE MONTH OF NOV - DEC 2023

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
MTMA	45	326 / 500	6.22	PHSA	121	395 / 500	7.76	ECOA	227	*HECCR3051T*HECCR3061T *HECCR3071T*HECSE3011T *HPSGE3031T	
MTMA	48	344 / 500	6.72	PHSA	122	*HPHCR3052T		ECOA	229	415 / 500	8.21
MTMA	49	285 / 500	5.56	PHSA	123	426 / 500	8.62	ECOA	230	406 / 500	8.03
MTMA	53	*HMTCR3071T*HSTGE3032T		PHSA	125	429 / 500	8.53	ECOA	232	313 / 500	6.12
MTMA	54	321 / 500	6.24	PHSA	127	*HECGE3231T*HPHCR3052T *HPHSE3011T		ECOA	234	328 / 500	6.65
MTMA	55	ABS/DB		PHSA	130	390 / 500	7.83	ECOA	236	307 / 500	6.13
MTMA	58	272 / 500	5.31	PHSA	131	377 / 500	7.70	ECOA	237	287 / 500	5.73
MTMA	62	ABS/DB		PHSA	133	412 / 500	8.06	ECOA	238	354 / 500	7.00
MTMA	64	*HMTCR3071T		PHSA	134	283 / 500	5.68	ECOA	239	405 / 500	8.19
MTMA	65	ABS/DB		PHSA	135	RW : HPHCR3052T		ECOA	240	272 / 500	5.17
MTMA	68	324 / 500	6.68	PHSA	136	395 / 500	7.88	ECOA	241	319 / 500	6.19
MTMA	72	364 / 500	6.95	PHSA	137	ABS/DB		ECOA	242	252 / 500	5.00
MTMA	73	ABS/DB		PHSA	138	326 / 500	6.42	ECOA	243	362 / 500	7.14
MTMA	74	*HMTCR3051T*HMTCR3061T*HMTCR3071T		PHSA	139	341 / 500	6.85	ECOA	244	341 / 500	6.59
MTMA	75	*HMTCR3071T		PHSA	140	374 / 500	7.57	ECOA	245	ABS/DB	
MTMA	77	368 / 500	7.14	PHSA	142	359 / 500	7.13	ECOA	247	412 / 500	8.28
MTMA	78	316 / 500	6.06	PHSA	147	415 / 500	8.27	ECOA	248	379 / 500	7.47
MTMA	79	228 / 500	4.46	PHSA	148	*HPHCR3052T*HPHSE3011T		ECOA	249	428 / 500	8.43
MTMA	80	393 / 500	7.76	PHSA	149	457 / 500	9.04	ECOA	251	407 / 500	8.05
MTMA	81	383 / 500	7.72	PHSA	150	371 / 500	7.48	ECOA	252	355 / 500	6.88
MTMA	82	ABS/DB		PHSA	151	359 / 500	7.19	ECOA	253	421 / 500	8.52
MTMA	83	309 / 500	6.07	PHSA	155	350 / 500	6.97	ECOA	254	*HECCR3071T	
MTMA	84	*HMTCR3071T		PHSA	160	*HPHCR3052P*HPHCR3052T *HPHCR3062T*HPHCR3072T *HPHSE3011T		ECOA	255	334 / 500	6.49
MTMA	86	*HMTCR3051T*HMTCR3071T		PHSA	161	317 / 500	6.44	ECOA	256	312 / 500	6.18
MTMA	87	316 / 500	6.32	PHSA	164	406 / 500	8.22	ECOA	257	*HECCR3071T	
MTMA	88	*HMTCR3071T		PHSA	167	341 / 500	6.81	ECOA	258	372 / 500	7.25
MTMA	89	*HMTCR3071T		ECOA	201	336 / 500	6.71	ECOA	260	307 / 500	6.12
MTMA	91	*HMTCR3071T		ECOA	202	435 / 500	8.75	ECOA	263	441 / 500	8.75
MTMA	93	ABS/DB		ECOA	203	346 / 500	6.66	ECOA	264	279 / 500	5.47
MTMA	94	*HMTCR3051T*HMTCR3061T*HMTCR3071T*HMTSE3012T*HPSGE3031T		ECOA	204	378 / 500	7.46	ECOA	265	309 / 500	5.88
MTMA	95	*HMTCR3051T		ECOA	205	*HECCR3051T*HECCR3061T *HECCR3071T*HECSE3011T *HSTGE3032P*HSTGE3032T		ECOA	266	404 / 500	8.15
MTMA	96	*HMTCR3071T		ECOA	206	ABS/DB		ECOA	269	389 / 500	7.65
MTMA	98	335 / 500	6.50	ECOA	207	449 / 500	8.93	ECOA	270	405 / 500	7.93
MTMA	99	*HMTCR3071T		ECOA	208	318 / 500	5.98	ECOA	272	400 / 500	8.03
PHSA	101	465 / 500	9.28	ECOA	209	424 / 500	8.40	ECOA	273	ABS/DB	
PHSA	102	413 / 500	8.22	ECOA	211	267 / 500	5.15	ECOA	275	362 / 500	7.14
PHSA	104	373 / 500	7.41	ECOA	212	*HECCR3071T*HSTGE3032T		ECOA	276	252 / 500	5.00
PHSA	107	369 / 500	7.41	ECOA	213	352 / 500	6.91	ECOA	277	296 / 500	5.71
PHSA	108	380 / 500	7.57	ECOA	215	377 / 500	7.32	ECOA	278	*HECCR3061T*HECCR3071T *HSTGE3032T	
PHSA	111	434 / 500	8.60	ECOA	217	391 / 500	7.72	ECOA	279	403 / 500	8.10
PHSA	113	438 / 500	8.60	ECOA	220	334 / 500	6.37	ECOA	280	272 / 500	5.52
PHSA	116	449 / 500	8.93	ECOA	221	382 / 500	7.46	ECOA	281	298 / 500	6.06
PHSA	118	408 / 500	8.11	ECOA	223	284 / 500	5.32	ECOA	283	349 / 500	6.88
PHSA	120	403 / 500	8.01					ECOA	284	414 / 500	8.15
								ECOA	285	409 / 500	8.02

*Shivitra 28.2.24*

Controller of Examinations  
St. Xavier's College (Autonomous)  
Controller of Examinations  
St. Xavier's College (Autonomous)  
(Under Calcutta University)

*J. Junior*

Principal  
St. Xavier's College (Autonomous)  
Principal  
St. Xavier's College  
(Autonomous)  
Kolkata

**Note:** There might be a few inadvertent errors.

Visit Students Section of the College Website to download the Provisional Marksheet.

**Remarks:** RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (\*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)  
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani  
Kolkata-700 016.

## BA/BSC

### PROVISIONAL RESULT SHEET OF SEMESTER-III EXAMINATION

HELD IN THE MONTH OF NOV - DEC 2023

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
ECO A	286	375 / 500	7.55	STSA	402	295 / 500	5.90	STSA	466	*HSTCR3062T	
ECO A	287	309 / 500	6.16	STSA	403	411 / 500	7.96	STSA	467	*HSTCR3062T*HSTCR3071T	
ECO A	288	360 / 500	7.11	STSA	404	387 / 500	7.82	STSA	468	442 / 500	8.71
ECO A	289	*HECCR3071T		STSA	406	427 / 500	8.38	STSA	469	408 / 500	8.08
ECO A	290	449 / 500	8.99	STSA	408	395 / 500	7.93	STSA	470	*HSTCR3062T*HSTCR3071T	
ECO A	291	*HECCR3051T*HECCR3061T *HECCR3071T*HECSE3011T *HSTGE3032P*HSTGE3032T		STSA	409	455 / 500	9.07	STSA	471	*HSTCR3052T*HSTCR3062T* HSTCR3071T	
ECO A	292	385 / 500	7.70	STSA	410	*HSTCR3071T		STSA	472	359 / 500	6.96
ECO A	293	271 / 500	5.10	STSA	411	350 / 500	6.63	CMSA	502	325 / 500	6.35
ECO A	294	*HECCR3071T*HSTGE3032T		STSA	413	293 / 500	5.73	CMSA	503	342 / 500	6.65
CEMA	301	ABS/DB		STSA	414	332 / 500	6.66	CMSA	504	391 / 500	7.92
CEMA	302	348 / 500	6.78	STSA	415	*HSTCR3062T		CMSA	505	*HCSCR3052T*HCSCR3062T* HCSCR3071T*HMTGE3031T	
CEMA	303	339 / 500	6.44	STSA	416	339 / 500	6.38	CMSA	506	387 / 500	7.64
CEMA	304	411 / 500	8.08	STSA	417	*HSTCR3052T*HSTCR3062T* HSTCR3071T		CMSA	507	329 / 500	6.36
CEMA	305	437 / 500	8.65	STSA	418	433 / 500	8.56	CMSA	508	361 / 500	7.05
CEMA	306	*HCHCR3052T*HCHCR3062T *HCHCR3072T*HMTGE3031T		STSA	419	410 / 500	8.00	CMSA	509	297 / 500	5.99
CEMA	309	*HCHCR3052T*HCHCR3072T *HCHSE3011P*HMTGE3031T		STSA	420	386 / 500	7.66	CMSA	510	*HCSCR3052P*HCSCR3052T* HCSCR3062T*HCSCR3071T* HMTGE3031T	
CEMA	311	346 / 500	6.71	STSA	421	*HSTCR3071T		CMSA	511	314 / 500	6.22
CEMA	312	*HCHCR3052T*HMTGE3031T		STSA	422	285 / 500	5.50	CMSA	515	364 / 500	7.08
CEMA	313	406 / 500	8.12	STSA	424	ABS/DB		CMSA	517	372 / 500	7.49
CEMA	314	382 / 500	7.57	STSA	425	282 / 500	5.80	CMSA	518	326 / 500	6.18
CEMA	316	*HCHCR3052T		STSA	426	436 / 500	8.58	CMSA	519	406 / 500	8.00
CEMA	319	427 / 500	8.52	STSA	427	*HSTCR3052T		CMSA	520	342 / 500	6.88
CEMA	321	*HCHCR3052T*HCHCR3072T		STSA	428	337 / 500	6.52	CMSA	521	317 / 500	6.12
CEMA	324	*HCHCR3052T*HCHCR3062T		STSA	429	*HCSGE3032T*HSTCR3052T* HSTCR3062T*HSTCR3071T		CMSA	524	ABS/DB	
CEMA	326	*HCHCR3052T		STSA	431	397 / 500	7.72	CMSA	530	347 / 500	6.75
CEMA	327	ABS/DB		STSA	432	338 / 500	6.38	CMSA	532	383 / 500	7.73
CEMA	330	*HCHCR3052T*HCHCR3072T		STSA	435	*HSTCR3052T*HSTCR3071T		CMSA	534	348 / 500	6.80
CEMA	334	*HCHCR3052T		STSA	441	346 / 500	6.89	CMSA	535	*HCSCR3062T*HCSCR3071T* HSTGE3032T	
CEMA	335	ABS/DB		STSA	442	435 / 500	8.59	CMSA	537	379 / 500	7.47
CEMA	337	*HMTGE3031T		STSA	443	330 / 500	6.42	CMSA	539	331 / 500	6.73
CEMA	339	*HCHCR3052T*HMTGE3031T		STSA	444	*HSTCR3071T		CMSA	541	*HCSCR3062T	
CEMA	340	*HCHCR3052T*HCHCR3072T		STSA	445	402 / 500	7.89	CMSA	542	*HCSCR3071T	
CEMA	341	348 / 500	6.62	STSA	446	379 / 500	7.56	CMSA	543	341 / 500	6.68
CEMA	343	322 / 500	6.08	STSA	448	456 / 500	9.03	CMSA	544	349 / 500	6.78
CEMA	344	*HCHCR3052T*HCHCR3072T		STSA	449	*HECGE3231T*HSTCR3052T *HSTCR3062T*HSTCR3071T		CMSA	545	438 / 500	8.75
CEMA	345	*HCHCR3052T*HCHCR3072T		STSA	450	406 / 500	8.02	CMSA	546	*HCSCR3052T*HCSCR3062T	
CEMA	347	391 / 500	7.65	STSA	451	*HSTCR3052T*HSTCR3062T* HSTCR3071T		CMSA	547	436 / 500	8.72
CEMA	349	*HCHCR3052T*HCHCR3072T		STSA	456	*HSTCR3052T*HSTCR3062T* HSTCR3071T		CMSA	548	283 / 500	5.38
CEMA	350	*HCHCR3052T*HCHCR3072T *HMTGE3031T		STSA	458	301 / 500	5.81	CMSA	550	*HCSCR3052P*HCSCR3052T* HCSCR3062T*HCSCR3071T* HCSSE3011P	
CEMA	352	*HCHCR3052T*HCHCR3072T *HMTGE3031T		STSA	461	*HSTCR3052T*HSTCR3062T		CMSA	552	ABS/DB	
CEMA	353	*HCHCR3052T*HCHCR3072T		STSA	462	*HECGE3231T*HSTCR3052T *HSTCR3062P*HSTCR3062T* HSTCR3071T		CMSA	553	338 / 500	6.68
CEMA	354	369 / 500	7.10	STSA	463	ABS/DB		CMSA	555	357 / 500	7.10
				STSA	464	*HSTCR3052T*HSTCR3062T* HSTCR3071T		CMSA	556	*HCSCR3052T	
				STSA	465	323 / 500	6.25				

*Shanitra 28.2.24*

Controller of Examinations  
St. Xavier's College (Autonomous)  
Controller of Examinations  
St. Xavier's College (Autonomous)  
(Under Calcutta University)

*J. Junior*

Principal  
St. Xavier's College (Autonomous)  
Principal  
St. Xavier's College  
(Autonomous)  
Kolkata

**Note: There might be a few inadvertent errors.**

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (\*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)  
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani  
Kolkata-700 016.

## BA/BSC

### PROVISIONAL RESULT SHEET OF SEMESTER-III EXAMINATION

HELD IN THE MONTH OF NOV - DEC 2023

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
CMSA	557	*HCSCR3052P*HCSCR3052T* HCSCR3062T*HCSCR3071T* HMTGE3031T		MCBA	635	375 / 500	7.45	MCVA	830	392 / 500	7.78
CMSA	558	*HMTGE3031T		MCBA	636	ABS/DB		MCVA	832	*HMVCR3062P*HMVCR30 62T	
CMSA	559	354 / 500	6.85	MCBA	637	319 / 500	6.25	MCVA	833	396 / 500	7.85
CMSA	560	309 / 500	6.15	MCBA	639	313 / 500	6.19	MCVA	834	*HMVCR3072T	
CMSA	561	*HSTGE3032T		MCBA	640	387 / 500	7.79	MCVA	835	360 / 500	7.14
CMSA	562	352 / 500	7.06	MCBA	642	416 / 500	8.35	MCVA	836	*HMVCR3062P*HMVCR3062 T*HMVCR3072T	
CMSA	564	ABS/DB		MCBA	643	*HMBBCR3052T		MCVA	837	356 / 500	7.00
CMSA	565	329 / 500	6.33	MCBA	644	ABS/DB		MCVA	838	*HJOGE3012P*HJOGE3012T* HMVCR3062P*HMVCR3062T *HMVCR3072T*HMVSE3012 P*HMVSE3012T	
CMSA	567	*HCSCR3052T*HCSCR3062T* HCSCR3071T*HMTGE3031T		MCBA	645	*HMBBCR3052T		MCVA	839	*HJOGE3012T*HMVCR3052P *HMVCR3052T*HMVCR3062 P*HMVCR3062T*HMVCR307 2P*HMVCR3072T*HMVSE30 12P*HMVSE3012T	
CMSA	570	*HCSCR3052T		MCBA	646	390 / 500	7.63	MCVA	840	*HJOGE3012P*HMVCR3062P *HMVCR3062T	
CMSA	571	398 / 500	7.85	MCBA	647	*HCHGE3032T		MCVA	841	*HMVCR3052P*HMVCR3052 T*HMVCR3062P*HMVCR306 2T*HMVCR3072P*HMVCR30 72T*HMVSE3012T	
CMSA	572	399 / 500	7.93	MCBA	648	374 / 500	7.58	MCVA	842	ABS/DB	
CMSA	573	402 / 500	8.14	MCBA	649	444 / 500	8.95	MCVA	843	332 / 500	6.52
CMSA	574	*HCSCR3052T*HCSCR3071T* HMTGE3031T		MCBA	650	*HCHGE3032T*HMBBCR3052 T*HMBBCR3072T		MCVA	844	366 / 500	7.37
CMSA	575	403 / 500	8.12	MCBA	651	421 / 500	8.47	MCVA	845	346 / 500	6.86
CMSA	576	311 / 500	6.18	MCBA	1655	358 / 500	7.12	MCVA	846	345 / 500	6.82
CMSA	577	*HSTGE3032T		MCBA	1672	345 / 500	6.76	MCVA	847	*HECGE3131T*HMVCR3072P *HMVCR3072T	
MCBA	602	391 / 500	7.99	MCBA	801	327 / 500	6.42	MCVA	848	*HJOGE3012T	
MCBA	603	*HCHGE3032T*HMBBCR30 52T		MCVA	802	335 / 500	6.67	MCVA	849	254 / 500	5.02
MCBA	604	359 / 500	7.25	MCVA	803	*HECGE3131T		MCVA	850	292 / 500	5.63
MCBA	605	398 / 500	7.94	MCVA	804	364 / 500	7.22	MCVA	851	314 / 500	6.20
MCBA	606	446 / 500	9.08	MCVA	805	337 / 500	6.68	MCVA	852	*HMVCR3062P*HMVCR30 62T	
MCBA	610	432 / 500	8.65	MCVA	806	363 / 500	7.19	MCVA	853	335 / 500	6.52
MCBA	611	424 / 500	8.52	MCVA	808	260 / 500	5.12	MCVA	854	381 / 500	7.59
MCBA	612	*HCHGE3032T*HMBBCR3052 P*HMBBCR3052T*HMBSE301 1T		MCVA	806	363 / 500	7.19	MCVA	855	327 / 500	6.48
MCBA	613	374 / 500	7.26	MCVA	808	260 / 500	5.12	MCVA	856	358 / 500	7.12
MCBA	615	284 / 500	5.74	MCVA	810	380 / 500	7.60	MCVA	857	343 / 500	6.88
MCBA	617	431 / 500	8.72	MCVA	811	390 / 500	7.80	MCVA	858	*HMVCR3062T	
MCBA	619	420 / 500	8.42	MCVA	812	383 / 500	7.67				
MCBA	620	*HMBBCR3052T		MCVA	813	336 / 500	6.66				
MCBA	621	429 / 500	8.67	MCVA	814	*HMVCR3072P*HMVCR30 72T					
MCBA	622	383 / 500	7.61	MCVA	816	333 / 500	6.48				
MCBA	623	372 / 500	7.51	MCVA	817	360 / 500	7.12				
MCBA	624	*HMBBCR3072P		MCVA	818	*HMVCR3062T*HMVCR3072 T*HMVSE3012T					
MCBA	625	455 / 500	9.13	MCVA	819	*HCSGE3032T					
MCBA	626	430 / 500	8.62	MCVA	820	325 / 500	6.53				
MCBA	627	*HMBBCR3052T		MCVA	821	364 / 500	7.17				
MCBA	629	380 / 500	7.55	MCVA	822	313 / 500	6.15				
MCBA	630	*HECGE3231T		MCVA	823	387 / 500	7.68				
MCBA	631	*HCHGE3032T*HMBBCR30 52T		MCVA	824	348 / 500	6.86				
MCBA	632	372 / 500	7.38	MCVA	825	*HJOGE3012T*HMVCR3052P *HMVCR3052T*HMVCR3062 P*HMVCR3062T*HMVCR307 2P*HMVCR3072T*HMVSE30 12T					
MCBA	633	ABS/DB		MCVA	826	348 / 500	6.91				
MCBA	634	*HCHGE3032T*HMBBCR3062 P*HMBBCR3062T*HMBBCR307 2T		MCVA	827	344 / 500	6.78				
				MCVA	828	403 / 500	8.07				
				MCVA	829	339 / 500	6.65				

*Shanitra 28.2.24*

Controller of Examinations  
St. Xavier's College (Autonomous)  
Controller of Examinations  
St. Xavier's College (Autonomous)  
(Under Calcutta University)

*D. Junior*

Principal  
St. Xavier's College (Autonomous)

Principal  
St. Xavier's College  
(Autonomous)  
Kolkata

**Note: There might be a few inadvertent errors.**

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (\*) denotes ARREAR in that paper