



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata - 700 016.


BA/BSC

**RESULT SHEET OF SEMESTER-V EXAMINATION
HELD IN THE MONTH OF NOV - DEC 2023**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
ENGA	2	264 / 400	6.60	ENGA	61	250 / 400	6.25	ENGA	99	*HENC5121T*HENDS5011T	
ENGA	3	277 / 400	6.93	ENGA	62	202 / 400	5.05	ENGA	100	180 / 400	4.50
ENGA	5	288 / 400	7.20	ENGA	63	225 / 400	5.63	ENGA	1001	*HENC5111T*HENC5121T*HENDS5011T	
ENGA	6	264 / 400	6.60	ENGA	64	268 / 400	6.70	ENGA	1002	280 / 400	7.00
ENGA	7	209 / 400	5.23	ENGA	65	195 / 400	4.88	ENGA	1003	258 / 400	6.45
ENGA	8	184 / 400	4.60	ENGA	66	222 / 400	5.55	ENGA	1004	*HENC5121T	
ENGA	9	256 / 400	6.40	ENGA	67	251 / 400	6.28	ENGA	1005	224 / 400	5.60
ENGA	10	275 / 400	6.88	ENGA	68	278 / 400	6.95	PLSA	101	300 / 400	7.50
ENGA	11	279 / 400	6.98	ENGA	69	261 / 400	6.53	PLSA	102	*HPSCR5111T*HPSCR5121T*HPSDS5011T*HPSDS5021T	
ENGA	13	268 / 400	6.70	ENGA	70	293 / 400	7.33	PLSA	103	260 / 400	6.50
ENGA	14	266 / 400	6.65	ENGA	71	213 / 400	5.33	PLSA	104	268 / 400	6.70
ENGA	15	268 / 400	6.70	ENGA	72	255 / 400	6.38	PLSA	105	225 / 400	5.63
ENGA	16	281 / 400	7.03	ENGA	73	270 / 400	6.75	PLSA	106	265 / 400	6.63
ENGA	17	300 / 400	7.50	ENGA	74	*HENC5121T*HENDS5011T		PLSA	107	234 / 400	5.85
ENGA	20	300 / 400	7.50	ENGA	75	242 / 400	6.05	PLSA	108	270 / 400	6.75
ENGA	21	248 / 400	6.20	ENGA	76	*HENC5121T		PLSA	109	284 / 400	7.10
ENGA	22	*HENDS5011T		ENGA	77	258 / 400	6.45	PLSA	110	226 / 400	5.65
ENGA	24	243 / 400	6.08	ENGA	78	237 / 400	5.93	PLSA	111	298 / 400	7.45
ENGA	25	231 / 400	5.78	ENGA	79	ABS/DB		PLSA	112	259 / 400	6.48
ENGA	26	275 / 400	6.88	ENGA	80	275 / 400	6.88	PLSA	113	192 / 400	4.80
ENGA	28	260 / 400	6.50	ENGA	81	272 / 400	6.80	PLSA	115	215 / 400	5.38
ENGA	30	253 / 400	6.33	ENGA	82	*HENC5121T		PLSA	117	239 / 400	5.98
ENGA	31	*HENC5121T*HENDS5011T*HENDS5021T		ENGA	83	222 / 400	5.55	PLSA	118	230 / 400	5.75
ENGA	32	230 / 400	5.75	ENGA	84	224 / 400	5.60	PLSA	119	269 / 400	6.73
ENGA	37	286 / 400	7.15	ENGA	86	*HENC5111T*HENC5121T*HENDS5011T*HENDS5021T		PLSA	120	ABS/DB	
ENGA	41	*HENDS5021T		ENGA	88	248 / 400	6.20	PLSA	121	*HPSDS5011T	
ENGA	43	252 / 400	6.30	ENGA	89	262 / 400	6.55	PLSA	122	197 / 400	4.93
ENGA	46	*HENC5121T*HENDS5011T		ENGA	90	245 / 400	6.13	PLSA	123	285 / 400	7.13
ENGA	47	232 / 400	5.80	ENGA	91	254 / 400	6.35	PLSA	124	254 / 400	6.35
ENGA	48	224 / 400	5.60	ENGA	92	ABS/DB		PLSA	125	239 / 400	5.98
ENGA	50	211 / 400	5.28	ENGA	93	*HENC5121T*HENDS5011T		PLSA	126	188 / 400	4.70
ENGA	51	240 / 400	6.00	ENGA	94	285 / 400	7.13	PLSA	128	272 / 400	6.80
ENGA	52	200 / 400	5.00	ENGA	95	265 / 400	6.63	PLSA	129	277 / 400	6.93
ENGA	54	265 / 400	6.63	ENGA	96	256 / 400	6.40	PLSA	130	209 / 400	5.23
ENGA	56	278 / 400	6.95	ENGA	97	*HENC5121T		PLSA	134	227 / 400	5.68
ENGA	60	*HENDS5011T*HENDS5021T		ENGA	98	266 / 400	6.65	PLSA	135	248 / 400	6.20

Shivika
19-2-24

Controller of Examinations
St. Xavier's College (Autonomous)



B.P.

Principal
St. Xavier's College (Autonomous)
Acting Principal
St. Xavier's College (Autonomous)
Kolkata-16

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-V EXAMINATION
HELD IN THE MONTH OF NOV - DEC 2023**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
PLSA	137	267 / 400	6.68	PLSA	199	185 / 400	4.63	SOCA	257	*HSOCR5111T*HSOCR5121T *HSODS5021T	
PLSA	141	244 / 400	6.10	PLSA	200	287 / 400	7.18	SOCA	259	192 / 400	4.80
PLSA	143	199 / 400	4.98	SOCA	203	*HSODS5021T		SOCA	260	270 / 400	6.75
PLSA	147	273 / 400	6.83	SOCA	206	298 / 400	7.45	SOCA	261	209 / 400	5.23
PLSA	148	232 / 400	5.80	SOCA	207	*HSODS5021T		SOCA	262	*HSOCR5111T*HSOCR5121T *HSODS5021T	
PLSA	149	235 / 400	5.88	SOCA	208	228 / 400	5.70	SOCA	263	221 / 400	5.53
PLSA	153	218 / 400	5.45	SOCA	209	ABS/DB		SOCA	264	202 / 400	5.05
PLSA	154	242 / 400	6.05	SOCA	210	*HSODS5011T		SOCA	268	288 / 400	7.20
PLSA	157	237 / 400	5.93	SOCA	212	240 / 400	6.00	SOCA	271	295 / 400	7.38
PLSA	158	281 / 400	7.03	SOCA	214	278 / 400	6.95	SOCA	272	233 / 400	5.83
PLSA	161	243 / 400	6.08	SOCA	216	173 / 400	4.33	SOCA	273	ABS/DB	
PLSA	162	258 / 400	6.45	SOCA	217	290 / 400	7.25	SOCA	274	*HSOCR5121T*HSODS502 1T	
PLSA	169	239 / 400	5.98	SOCA	218	292 / 400	7.30	SOCA	275	*HSOCR5111T*HSOCR5121T *HSODS5021T	
PLSA	171	*HPSDS5011T		SOCA	223	256 / 400	6.40	SOCA	277	239 / 400	5.98
PLSA	172	230 / 400	5.75	SOCA	224	216 / 400	5.40	SOCA	3259	207 / 400	5.18
PLSA	173	196 / 400	4.90	SOCA	226	246 / 400	6.15	BNGA	501	*HBNCR5121T	
PLSA	174	221 / 400	5.53	SOCA	227	239 / 400	5.98	BNGA	502	ABS/DB	
PLSA	175	247 / 400	6.18	SOCA	228	*HSOCR5111T*HSOCR512 1T		BNGA	504	258 / 400	6.45
PLSA	176	*HPSDS5011T		SOCA	231	*HSODS5021T		BNGA	505	331 / 400	8.28
PLSA	178	254 / 400	6.35	SOCA	232	247 / 400	6.18	BNGA	508	237 / 400	5.93
PLSA	179	*HPSCR5111T*HPSDS501 1T		SOCA	236	228 / 400	5.70	BNGA	510	264 / 400	6.60
PLSA	180	287 / 400	7.18	SOCA	240	252 / 400	6.30	BNGA	511	252 / 400	6.30
PLSA	181	236 / 400	5.90	SOCA	241	277 / 400	6.93	BNGA	515	284 / 400	7.10
PLSA	182	231 / 400	5.78	SOCA	243	256 / 400	6.40	BNGA	516	254 / 400	6.35
PLSA	183	271 / 400	6.78	SOCA	244	282 / 400	7.05	BNGA	517	234 / 400	5.85
PLSA	185	259 / 400	6.48	SOCA	246	262 / 400	6.55	BAGG	301	283 / 400	6.83
PLSA	186	205 / 400	5.13	SOCA	247	202 / 400	5.05	BAGG	302	285 / 400	6.89
PLSA	187	216 / 400	5.40	SOCA	248	213 / 400	5.33	BAGG	303	297 / 400	7.21
PLSA	188	181 / 400	4.53	SOCA	249	274 / 400	6.85	BAGG	304	244 / 400	5.80
PLSA	191	190 / 400	4.75	SOCA	250	*HSODS5021T		BAGG	305	236 / 400	5.60
PLSA	193	284 / 400	7.10	SOCA	251	216 / 400	5.40	BAGG	307	274 / 400	6.56
PLSA	194	*HPSDS5011T		SOCA	252	213 / 400	5.33	BAGG	310	291 / 400	7.09
PLSA	195	*HPSDS5011T		SOCA	253	197 / 400	4.93	BAGG	311	332 / 400	8.18
PLSA	196	226 / 400	5.65	SOCA	254	246 / 400	6.15	BAGG	312	222 / 400	5.14
PLSA	197	179 / 400	4.48	SOCA	255	ABS/DB		BAGG	313	222 / 400	5.20
PLSA	198	265 / 400	6.63	SOCA	256	*HSOCR5111T		BAGG	314	319 / 400	7.91

Sanitara
19/02/24
Controller of Examinations
St. Xavier's College (Autonomous) Examinations
Kolkata
(Under Calcutta University)

B.P.A.
Principal
St. Xavier's College (Autonomous)
Acting Principal
St. Xavier's College
(Autonomous)
Kolkata-16

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)


30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-V EXAMINATION
HELD IN THE MONTH OF NOV - DEC 2023**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
BAGG	315	239 / 400	5.63	BAGG	366	260 / 400	6.34	MTMA	71	226 / 400	5.65
BAGG	318	284 / 400	6.92	BAGG	367	261 / 400	6.45	MTMA	72	*HMTCR5112T*HMTCR5121T	
BAGG	319	312 / 400	7.66	BAGG	368	*GPSDS5011T*GSODS5021T		MTMA	79	195 / 400	4.88
BAGG	320	291 / 400	7.03	MTMA	2	*HMTCR5112T		MTMA	83	*HMTCR5112T*HMTCR5121T*HMTDS5011T*HMTDS5021T	
BAGG	321	ABS/DB		MTMA	3	246 / 400	6.15	MTMA	86	*HMTCR5112T*HMTCR5121T*HMTDS5021T	
BAGG	322	300 / 400	7.26	MTMA	4	ABS/DB		MTMA	87	182 / 400	4.55
BAGG	324	321 / 400	7.89	MTMA	5	233 / 400	5.83	MTMA	92	*HMTCR5121T	
BAGG	326	*GPSDS5011T		MTMA	6	266 / 400	6.65	MTMA	94	247 / 400	6.18
BAGG	328	341 / 400	8.41	MTMA	7	174 / 400	4.35	MTMA	95	*HMTCR5112T*HMTCR5121T*HMTDS5011T*HMTDS5021T	
BAGG	332	*GPSDS5011T*GSODS5021T		MTMA	9	192 / 400	4.80	MTMA	97	*HMTCR5112T*HMTCR5121T*HMTDS5011T	
BAGG	333	333 / 400	8.23	MTMA	12	247 / 400	6.18	MTMA	98	252 / 400	6.30
BAGG	334	254 / 400	5.96	MTMA	16	*HMTCR5112T*HMTCR5121T*HMTDS5021T		MTMA	100	ABS/DB	
BAGG	335	266 / 400	6.18	MTMA	17	299 / 400	7.48	MTMA	703	*HMTCR5112T*HMTCR5121T*HMTDS5021T	
BAGG	337	*GPSDS5011T*GSODS5021T		MTMA	18	370 / 400	9.25	MTMA	704	ABS/DB	
BAGG	338	197 / 400	4.63	MTMA	19	208 / 400	5.20	MTMA	705	*HMTCR5112T*HMTCR5121T*HMTDS5011T*HMTDS5021T	
BAGG	339	328 / 400	8.14	MTMA	20	227 / 400	5.68	MTMA	706	*HMTCR5112T*HMTCR5121T	
BAGG	340	182 / 400	4.40	MTMA	22	241 / 400	6.03	MTMA	709	228 / 400	5.70
BAGG	341	229 / 400	5.39	MTMA	26	ABS/DB		MTMA	710	238 / 400	5.95
BAGG	342	*GSODS5021T		MTMA	28	*HMTCR5121T		MTMA	712	276 / 400	6.90
BAGG	343	*GSODS5021T		MTMA	31	357 / 400	8.93	MTMA	714	*HMTCR5121T*HMTDS5011T	
BAGG	344	*GSODS5021T		MTMA	34	291 / 400	7.28	MTMA	717	241 / 400	6.03
BAGG	345	313 / 400	7.71	MTMA	35	272 / 400	6.80	MTMA	719	RW : HMTCR5112T	
BAGG	347	267 / 400	6.47	MTMA	37	347 / 400	8.68	MTMA	720	324 / 400	8.10
BAGG	348	235 / 400	5.73	MTMA	39	295 / 400	7.38	MTMA	721	*HMTCR5112T*HMTCR5121T*HMTDS5021T	
BAGG	350	314 / 400	7.72	MTMA	40	270 / 400	6.75	MTMA	722	*HMTCR5112T*HMTCR5121T*HMTDS5011T*HMTDS5021T	
BAGG	351	204 / 400	4.70	MTMA	42	274 / 400	6.85	MTMA	723	*HMTCR5112T*HMTDS5011T*HMTDS5021T	
BAGG	352	293 / 400	7.01	MTMA	46	265 / 400	6.63	MTMA	725	224 / 400	5.60
BAGG	354	223 / 400	5.35	MTMA	47	229 / 400	5.73	MTMA	726	203 / 400	5.08
BAGG	355	215 / 400	5.01	MTMA	54	*HMTCR5112P*HMTCR5112T*HMTCR5121T*HMTDS5011T*HMTDS5021T		MTMA	727	*HMTDS5011T	
BAGG	356	226 / 400	5.64	MTMA	55	*HMTCR5112T*HMTCR5121T*HMTDS5011T*HMTDS5021T		MTMA	728	197 / 400	4.93
BAGG	357	196 / 400	4.64	MTMA	56	184 / 400	4.60	MTMA	729	198 / 400	4.95
BAGG	360	213 / 400	4.99	MTMA	57	*HMTCR5112T		MTMA	730	175 / 400	4.38
BAGG	361	288 / 400	7.12	MTMA	60	285 / 400	7.13	MTMA	731	183 / 400	4.58
BAGG	362	ABS/DB		MTMA	66	270 / 400	6.75	MTMA	732	294 / 400	7.35
BAGG	364	236 / 400	5.60	MTMA	68	*HMTCR5112T		MTMA	733	179 / 400	4.48
BAGG	365	307 / 400	7.55								

Controller of Examinations
St. Xavier's College (Autonomous)



Principal
St. Xavier's College (Autonomous)

Acting Principal
St. Xavier's College
(Autonomous)
Kolkata-16

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

RESULT SHEET OF SEMESTER-V EXAMINATION HELD IN THE MONTH OF NOV - DEC 2023

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
MTMA	735	*HMTCR5112T*HMTCR5121T		PHSA	163	258 / 400	6.45	ECOA	251	325 / 400	8.13
MTMA	736	293 / 400	7.33	PHSA	166	*HPHCR5112T		ECOA	253	316 / 400	7.90
MTMA	737	180 / 400	4.50	PHSA	169	251 / 400	6.28	ECOA	254	329 / 400	8.23
MTMA	738	185 / 400	4.63	PHSA	171	291 / 400	7.28	ECOA	255	339 / 400	8.48
MTMA	739	225 / 400	5.63	PHSA	173	231 / 400	5.78	ECOA	256	274 / 400	6.85
MTMA	742	*HMTCR5121T*HMTDS5011T		PHSA	177	288 / 400	7.20	ECOA	257	354 / 400	8.85
PHSA	101	291 / 400	7.28	PHSA	178	212 / 400	5.30	ECOA	258	308 / 400	7.70
PHSA	102	319 / 400	7.98	PHSA	179	318 / 400	7.95	ECOA	259	309 / 400	7.73
PHSA	103	354 / 400	8.85	ECOA	201	352 / 400	8.80	ECOA	260	307 / 400	7.68
PHSA	104	263 / 400	6.58	ECOA	203	*HECCR5121T		ECOA	262	274 / 400	6.85
PHSA	111	294 / 400	7.35	ECOA	204	327 / 400	8.18	ECOA	263	333 / 400	8.33
PHSA	113	RA[*HPHDS5021T]		ECOA	205	309 / 400	7.73	ECOA	264	304 / 400	7.60
PHSA	115	319 / 400	7.98	ECOA	207	346 / 400	8.65	ECOA	266	323 / 400	8.08
PHSA	119	257 / 400	6.43	ECOA	208	299 / 400	7.48	ECOA	267	229 / 400	5.73
PHSA	120	RA[*HPHCR5122T]*HPHDS5021T		ECOA	210	338 / 400	8.45	ECOA	268	353 / 400	8.83
PHSA	121	270 / 400	6.75	ECOA	211	340 / 400	8.50	ECOA	271	284 / 400	7.10
PHSA	122	250 / 400	6.25	ECOA	213	313 / 400	7.83	ECOA	273	321 / 400	8.03
PHSA	123	222 / 400	5.55	ECOA	214	334 / 400	8.35	ECOA	274	241 / 400	6.03
PHSA	127	247 / 400	6.18	ECOA	217	308 / 400	7.70	ECOA	275	319 / 400	7.98
PHSA	130	327 / 400	8.18	ECOA	219	303 / 400	7.58	ECOA	276	286 / 400	7.15
PHSA	131	300 / 400	7.50	ECOA	220	334 / 400	8.35	ECOA	277	328 / 400	8.20
PHSA	132	251 / 400	6.28	ECOA	221	245 / 400	6.13	ECOA	278	*HECCR5111T*HECCR5121T*HECDS5011T*HECDS5021T	
PHSA	133	*HPHDS5021T		ECOA	223	325 / 400	8.13	ECOA	279	201 / 400	5.03
PHSA	139	270 / 400	6.75	ECOA	224	342 / 400	8.55	ECOA	281	323 / 400	8.08
PHSA	142	262 / 400	6.55	ECOA	225	291 / 400	7.28	ECOA	282	314 / 400	7.85
PHSA	143	285 / 400	7.13	ECOA	234	281 / 400	7.03	ECOA	283	347 / 400	8.68
PHSA	144	ABS/DB		ECOA	235	249 / 400	6.23	ECOA	284	322 / 400	8.05
PHSA	145	287 / 400	7.18	ECOA	241	325 / 400	8.13	ECOA	285	312 / 400	7.80
PHSA	149	*HPHCR5112T*HPHDS5011T		ECOA	243	322 / 400	8.05	ECOA	288	290 / 400	7.25
PHSA	150	RA[*HPHCR5112T]*HPHCR5122T*HPHDS5011T*HPHDS5021T		ECOA	244	282 / 400	7.05	ECOA	290	304 / 400	7.60
PHSA	152	327 / 400	8.18	ECOA	245	235 / 400	5.88	ECOA	293	289 / 400	7.23
PHSA	157	227 / 400	5.68	ECOA	246	302 / 400	7.55	ECOA	294	299 / 400	7.48
PHSA	158	296 / 400	7.40	ECOA	247	ABS/DB		ECOA	295	227 / 400	5.68
PHSA	159	262 / 400	6.55	ECOA	248	335 / 400	8.38	ECOA	296	311 / 400	7.78
PHSA	160	*HPHDS5011T		ECOA	249	198 / 400	4.95	ECOA	297	333 / 400	8.33
PHSA	162	295 / 400	7.38	ECOA	250	324 / 400	8.10	ECOA	298	317 / 400	7.93

Shmitra 19-2-2024

Controller of Examinations
St. Xavier's College (Autonomous)



[Signature]

Principal
St. Xavier's College (Autonomous)

Acting Principal
St. Xavier's College
(Autonomous)
Kolkata-16

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.


BA/BSC

**RESULT SHEET OF SEMESTER-V EXAMINATION
HELD IN THE MONTH OF NOV - DEC 2023**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
ECOA	299	257 / 400	6.43	CEMA	357	260 / 400	6.50	STSA	431	266 / 400	6.65
ECOA	300	324 / 400	8.10	CEMA	358	304 / 400	7.60	STSA	433	382 / 400	9.55
ECOA	1203	243 / 400	6.08	CEMA	359	*HCHDS5012T		STSA	434	199 / 400	4.98
ECOA	1204	322 / 400	8.05	CEMA	360	272 / 400	6.80	STSA	435	ABS/DB	
ECOA	1205	309 / 400	7.73	CEMA	361	283 / 400	7.08	STSA	437	304 / 400	7.60
ECOA	1206	326 / 400	8.15	CEMA	363	291 / 400	7.28	STSA	438	263 / 400	6.58
ECOA	1207	*HECDS5011T*HECDS5021T		CEMA	364	353 / 400	8.83	STSA	439	258 / 400	6.45
CEMA	301	*HCHCR5122T*HCHDS5012T		CEMA	367	*HCHCR5112T*HCHCR5122T*HCHDS5012T		STSA	440	329 / 400	8.23
CEMA	302	336 / 400	8.40	CEMA	374	ABS/DB		STSA	441	284 / 400	7.10
CEMA	306	*HCHCR5122T*HCHDS5012T		CEMA	378	*HCHCR5122T		STSA	442	340 / 400	8.50
CEMA	307	273 / 400	6.83	CEMA	380	245 / 400	6.13	STSA	443	282 / 400	7.05
CEMA	308	329 / 400	8.23	CEMA	385	*HCHCR5122T*HCHDS5012T		STSA	444	295 / 400	7.38
CEMA	309	278 / 400	6.95	CEMA	389	229 / 400	5.73	STSA	445	349 / 400	8.73
CEMA	310	303 / 400	7.58	CEMA	391	*HCHCR5112T*HCHCR5122T*HCHDS5012T		STSA	446	323 / 400	8.08
CEMA	311	320 / 400	8.00	CEMA	393	228 / 400	5.70	STSA	447	234 / 400	5.85
CEMA	312	*HCHCR5112T*HCHCR5122T*HCHDS5012T		CEMA	394	258 / 400	6.45	STSA	448	*HSTCR5122T*HSTDSS012T*HSTDSS022T	
CEMA	313	328 / 400	8.20	STSA	401	310 / 400	7.75	STSA	449	*HSTCR5122T*HSTDSS012P*HSTDSS012T*HSTDSS022T	
CEMA	318	*HCHDS5012T		STSA	402	340 / 400	8.50	STSA	450	252 / 400	6.30
CEMA	320	272 / 400	6.80	STSA	403	371 / 400	9.28	STSA	451	273 / 400	6.83
CEMA	321	*HCHCR5122T*HCHDS5012T		STSA	404	283 / 400	7.08	STSA	452	237 / 400	5.93
CEMA	328	*HCHCR5122T*HCHDS5012T		STSA	405	307 / 400	7.68	STSA	453	341 / 400	8.53
CEMA	329	*HCHDS5012T		STSA	406	295 / 400	7.38	STSA	454	268 / 400	6.70
CEMA	330	*HCHDS5012T		STSA	408	221 / 400	5.53	STSA	455	287 / 400	7.18
CEMA	334	*HCHCR5122T*HCHDS5012T*HCHDS5022T		STSA	410	307 / 400	7.68	STSA	456	178 / 400	4.45
CEMA	337	293 / 400	7.33	STSA	411	302 / 400	7.55	STSA	458	308 / 400	7.70
CEMA	339	*HCHCR5112T*HCHCR5122T		STSA	412	307 / 400	7.68	STSA	460	*HSTCR5112P*HSTCR5112T*HSTCR5122T*HSTDSS012P*HSTDSS012T*HSTDSS022T	
CEMA	342	330 / 400	8.25	STSA	414	*HSTCR5122T*HSTDSS012T*HSTDSS022T		STSA	461	314 / 400	7.85
CEMA	344	*HCHDS5012T*HCHDS5022T		STSA	415	321 / 400	8.03	STSA	465	*HSTCR5112P*HSTCR5112T*HSTCR5122T	
CEMA	346	246 / 400	6.15	STSA	416	223 / 400	5.58	STSA	466	213 / 400	5.33
CEMA	348	330 / 400	8.25	STSA	417	347 / 400	8.68	STSA	467	322 / 400	8.05
CEMA	350	*HCHCR5112T*HCHDS5012T		STSA	419	*HSTCR5112T*HSTCR5122P*HSTCR5122T*HSTDSS012T*HSTDSS022P*HSTDSS022T		STSA	468	257 / 400	6.43
CEMA	352	288 / 400	7.20	STSA	420	290 / 400	7.25	STSA	469	219 / 400	5.48
CEMA	353	244 / 400	6.10	STSA	424	324 / 400	8.10	STSA	470	280 / 400	7.00
CEMA	354	*HCHCR5112T*HCHCR5122T*HCHDS5012T*HCHDS5022T		STSA	427	263 / 400	6.58	STSA	471	319 / 400	7.98
CEMA	355	ABS/DB		STSA	428	*HSTCR5112T*HSTCR5122P*HSTCR5122T*HSTDSS012T*HSTDSS022P*HSTDSS022T		STSA	472	290 / 400	7.25
CEMA	356	312 / 400	7.80					STSA	473	*HSTDSS022T	

Shmita 19.2.24

Controller of Examinations
St. Xavier's College (Autonomous)



[Signature]

Principal
St. Xavier's College (Autonomous)

Acting Principal
St. Xavier's College
(Autonomous)
Kolkata-16

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.


BA/BSC

**RESULT SHEET OF SEMESTER-V EXAMINATION
HELD IN THE MONTH OF NOV - DEC 2023**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
STSA	474	263 / 400	6.58	CMSA	524	355 / 400	8.88	CMSA	573	ABS/DB	
STSA	475	326 / 400	8.15	CMSA	525	345 / 400	8.63	CMSA	574	278 / 400	6.95
STSA	476	276 / 400	6.90	CMSA	526	322 / 400	8.05	CMSA	576	259 / 400	6.48
STSA	477	320 / 400	8.00	CMSA	529	347 / 400	8.68	CMSA	577	244 / 400	6.10
STSA	479	320 / 400	8.00	CMSA	531	307 / 400	7.68	CMSA	579	291 / 400	7.28
STSA	480	334 / 400	8.35	CMSA	533	312 / 400	7.80	CMSA	581	249 / 400	6.23
STSA	481	247 / 400	6.18	CMSA	534	270 / 400	6.75	CMSA	582	*HCSDS5012T	
STSA	482	*HSTCR5112T*HSTDS5012P* HSTDS5012T		CMSA	537	352 / 400	8.80	CMSA	583	238 / 400	5.95
STSA	483	226 / 400	5.65	CMSA	539	355 / 400	8.88	MCBA	601	368 / 400	9.20
STSA	484	*HSTDS5012T*HSTDS502 2T		CMSA	541	315 / 400	7.88	MCBA	602	ABS/DB	
STSA	485	265 / 400	6.63	CMSA	542	*HCSDS5012T		MCBA	605	335 / 400	8.38
STSA	486	186 / 400	4.65	CMSA	543	313 / 400	7.83	MCBA	607	354 / 400	8.85
STSA	487	212 / 400	5.30	CMSA	544	328 / 400	8.20	MCBA	608	ABS/DB	
STSA	488	*HSTCR5112P*HSTCR5112T* HSTCR5122T*HSTDS5012P* HSTDS5012T*HSTDS5022P* HSTDS5022T		CMSA	545	*HCSDS5012P*HCSDS501 2T		MCBA	609	263 / 400	6.58
STSA	489	*HSTCR5112P		CMSA	546	378 / 400	9.45	MCBA	612	328 / 400	8.20
STSA	490	171 / 400	4.28	CMSA	547	*HSCSR5121T		MCBA	614	*HMBDS5022T	
CMSA	501	279 / 400	6.98	CMSA	548	360 / 400	9.00	MCBA	619	343 / 400	8.58
CMSA	503	262 / 400	6.55	CMSA	549	*HSCSR5121T*HCSDS5012P* HCSDS5012T*HCSDS5022T		MCBA	621	334 / 400	8.35
CMSA	504	351 / 400	8.78	CMSA	550	299 / 400	7.48	MCBA	622	361 / 400	9.03
CMSA	505	392 / 400	9.80	CMSA	551	317 / 400	7.93	MCBA	623	301 / 400	7.53
CMSA	506	251 / 400	6.28	CMSA	552	*HSCSR5112P*HSCSR5112T* HSCSR5121T*HCSDS5012P* HCSDS5012T*HCSDS5022T		MCBA	623	301 / 400	7.53
CMSA	507	269 / 400	6.73	CMSA	555	314 / 400	7.85	MCBA	632	358 / 400	8.95
CMSA	508	263 / 400	6.58	CMSA	556	335 / 400	8.38	MCBA	639	*HMBDS5012P	
CMSA	509	320 / 400	8.00	CMSA	557	*HSCSR5112P*HSCSR5112T* HCSDS5012P*HCSDS5012T		MCBA	642	257 / 400	6.43
CMSA	510	*HSCSR5112T*HSCSR5121T* HCSDS5012P*HCSDS5012T		CMSA	558	256 / 400	6.40	MCBA	644	296 / 400	7.40
CMSA	511	252 / 400	6.30	CMSA	560	253 / 400	6.33	MCBA	645	329 / 400	8.23
CMSA	514	361 / 400	9.03	CMSA	561	*HCSDS5012T		MCBA	647	378 / 400	9.45
CMSA	515	289 / 400	7.23	CMSA	563	*HSCSR5112P*HSCSR5112T* HSCSR5121T*HCSDS5012P* HCSDS5012T*HCSDS5022P* HCSDS5022T		MCBA	650	314 / 400	7.85
CMSA	516	244 / 400	6.10	CMSA	564	290 / 400	7.25	MCBA	654	299 / 400	7.48
CMSA	517	265 / 400	6.63	CMSA	566	ABS/DB		MCBA	656	319 / 400	7.98
CMSA	518	321 / 400	8.03	CMSA	567	265 / 400	6.63	MCBA	657	341 / 400	8.53
CMSA	519	387 / 400	9.68	CMSA	568	321 / 400	8.03	MCBA	658	354 / 400	8.85
CMSA	520	347 / 400	8.68	CMSA	569	355 / 400	8.88	MCBA	659	284 / 400	7.10
CMSA	521	331 / 400	8.28	CMSA	570	327 / 400	8.18	MCBA	661	308 / 400	7.70
CMSA	523	320 / 400	8.00	CMSA	571	299 / 400	7.48	MCBA	662	377 / 400	9.43
								MCBA	663	*HMBCR5122T	
								MCBA	664	ABS/DB	

Shmitra 19.2.24

Controller of Examinations
St. Xavier's College (Autonomous)



BSP

Principal
St. Xavier's College (Autonomous)

Acting Principal
St. Xavier's College
(Autonomous)
Kolkata-16

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper



ST. XAVIER'S COLLEGE (AUTONOMOUS)
(UNDER CALCUTTA UNIVERSITY)

30, Mother Teresa Sarani
Kolkata-700 016.

BA/BSC

**RESULT SHEET OF SEMESTER-V EXAMINATION
HELD IN THE MONTH OF NOV - DEC 2023**

Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA	Dept	Roll	Result	SGPA
MCBA	665	300 / 400	7.50	MCVA	817	280 / 400	7.00	MCVA	858	282 / 400	7.05
MCBA	667	290 / 400	7.25	MCVA	818	266 / 400	6.65	MCVA	859	257 / 400	6.43
MCBA	668	282 / 400	7.05	MCVA	819	221 / 400	5.53	MCVA	860	300 / 400	7.50
MCBA	669	ABS/DB		MCVA	820	251 / 400	6.28	MCVA	861	291 / 400	7.28
MCBA	670	236 / 400	5.90	MCVA	821	261 / 400	6.53	MCVA	862	ABS/DB	
MCBA	673	ABS/DB		MCVA	822	286 / 400	7.15	MCVA	863	295 / 400	7.38
MCBA	675	350 / 400	8.75	MCVA	824	275 / 400	6.88	MCVA	864	262 / 400	6.55
MCBA	676	331 / 400	8.28	MCVA	825	215 / 400	5.38	MCVA	865	275 / 400	6.88
MCBA	678	259 / 400	6.48	MCVA	827	262 / 400	6.55	MCVA	866	286 / 400	7.15
MCBA	679	349 / 400	8.73	MCVA	828	290 / 400	7.25	MCVA	868	231 / 400	5.78
MCBA	680	339 / 400	8.48	MCVA	829	288 / 400	7.20	MCVA	869	308 / 400	7.70
MCBA	681	323 / 400	8.08	MCVA	831	215 / 400	5.38	MCVA	870	269 / 400	6.73
MCBA	684	ABS/DB		MCVA	832	Results Withheld		MCVA	871	278 / 400	6.95
MCBA	685	261 / 400	6.53	MCVA	833	266 / 400	6.65	MCVA	872	303 / 400	7.58
MCBA	686	337 / 400	8.43	MCVA	835	246 / 400	6.15	MCVA	873	Results Withheld	
MCBA	687	362 / 400	9.05	MCVA	837	223 / 400	5.58	MCVA	874	232 / 400	5.80
MCBA	688	273 / 400	6.83	MCVA	838	304 / 400	7.60				
MCBA	689	335 / 400	8.38	MCVA	839	253 / 400	6.33				
MCBA	690	298 / 400	7.45	MCVA	840	272 / 400	6.80				
MCBA	691	268 / 400	6.70	MCVA	841	324 / 400	8.10				
MCBA	692	360 / 400	9.00	MCVA	842	261 / 400	6.53				
MCBA	693	254 / 400	6.35	MCVA	843	266 / 400	6.65				
MCVA	801	299 / 400	7.48	MCVA	844	292 / 400	7.30				
MCVA	802	274 / 400	6.85	MCVA	845	RA[*HMVCR5122T]					
MCVA	803	253 / 400	6.33	MCVA	846	*HMVCR5112P*HMVCR5112 T*HMVCR5122T*HMVDS501 1T*HMVDS5021T					
MCVA	805	299 / 400	7.48	MCVA	847	277 / 400	6.93				
MCVA	806	293 / 400	7.33	MCVA	848	282 / 400	7.05				
MCVA	807	203 / 400	5.08	MCVA	849	300 / 400	7.50				
MCVA	808	331 / 400	8.28	MCVA	850	266 / 400	6.65				
MCVA	809	303 / 400	7.58	MCVA	851	285 / 400	7.13				
MCVA	811	*HMVCR5122T		MCVA	852	289 / 400	7.23				
MCVA	812	285 / 400	7.13	MCVA	853	307 / 400	7.68				
MCVA	813	261 / 400	6.53	MCVA	854	280 / 400	7.00				
MCVA	814	276 / 400	6.90	MCVA	855	183 / 400	4.58				
MCVA	815	268 / 400	6.70	MCVA	856	248 / 400	6.20				
MCVA	816	235 / 400	5.88	MCVA	857	304 / 400	7.60				

Shmitra 19.2

Controller of Examinations
St. Xavier's College (Autonomous)



[Signature]

Principal
St. Xavier's College (Autonomous)

Acting Principal
St. Xavier's College
(Autonomous)
Kolkata-16

Note: There might be a few inadvertent errors

Visit Students Section of the College Website to download the Provisional Marksheet.

Remarks: RW (Result Withheld), RA (Reported Against), INC (Result Incomplete), DB (Debarred), NSU (Not Sent up), (*) denotes ARREAR in that paper